







Thin Linear Sensing

Talk with a Technician: 888.795.2283

- 
- [White Flex](#)
  - [Data Sheet](#)
- [Softpot](#)
  - [How it works](#)
  - [Datasheet](#)
  - [Diagrams and Schematics](#)
  - [Value-added](#)
- [Hotpot](#)
  - [How it works](#)
  - [Datasheet](#)
  - [Diagrams and Schematics](#)
  - [Value-added](#)
- [Thinpot](#)
  - [How it works](#)
  - [Datasheet](#)
  - [Diagrams and Schematics](#)
  - [Value-added](#)
- [MagnetoPot](#)
  - [How it works](#)
  - [Datasheet](#)
  - [Diagrams and Schematics](#)
  - [Value-added](#)
- [Membrane Switches](#)
  - [Design](#)
  - [Design Technical Specifications](#)
  - [Tactile Response](#)
  - [Back Lighting](#)
  - [Membrane Sensors](#)
- [Stock & Custom Quotes](#)


SoftPot Diagrams and Schematics




Stock Wiper

Mechanical Specifications

- Minimum Force: 1 Newton
- Maximum Force: 3 Newtons
- Tip Material: Delrin
- Thread Pitch: M6 (1mm)




Dimensional Diagram




How to Order - Stock Wiper

WP	—	M6	—	01	—	03	—	014	—	DI
Series		Thread Pitch		Min. Force		Max. Force		Threaded Body Length		Tip Material
WP = Wiper		M6 = M6		01 = 1 Newton		03 = 3 Newtons		014 = 14mm		DI = Delrin


Diagram - Stock Rotary SoftPot



Electrical Schematic



Material Cross-Section



How to Order - Rotary SoftPot

SP	-	R	-	0046	/	0353	-	103	-	5%	-	ST
Series		Model		Center of Active Track		Active Angle		Resistance				Connectors
SP = SoftPot		R = Rotary		0046 = 45.57mm		0353 = 353°		103 = 10 KOhm				ST = Solder tab MP = Male Pins RH = Receptacles w/Plain Housing RL = Receptacles w/Latch Housing RD = Receptacles w/Detent Housing B = FCI/Berg Clincher
								Ind. Linearity				
								3% = ±3%				
								5% = ±5%				



[Get a FREE Quote](#)

Standard lengths, quick turn on quotes, and ballpark quotes over the phone are available.



We are an ISO 9001 certified company, committed to meeting customer expectations with quality product.

P: +1 (888) 795-2283  
E: [support@spectrasymbol.com](mailto:support@spectrasymbol.com)

3101 W. 2100 S.  
Salt Lake City, UT 84119  
USA

SPECTRA SYMBOL

**Speak with our Technicians**



+1 (888) 795-2283

[Home](#) [About Us](#) [Contact Us](#) [Stock & Custom Quotes](#)

Copyright © 2010 - Spectra Symbol